

## EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S73	217	(epg with home) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/02 15:33
S76	34	"725"/\$.ccls. and (epg same ((highlight remove delete skip lowlight) with channel)) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/03 10:26
S75	104	"725"/\$.ccls. and (epg same (highlight delete skip lowlight)) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/03 10:26
S77	92	"725"/\$.ccls. and (epg same ((highlight remove delete skip lowlight) with (program channel))) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/03 10:27
S74	120	"725"/\$.ccls. and (epg with home) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 09:08
S78	65	"725"/9-16.ccls. and (train\$5 heuristics) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 09:14
S80	159	S79 and (channel epg program adj guide)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 09:15
S79	168	"725"/\$.ccls. and (input with (multiple two) with times) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 09:16

## EAST Search History

S81	29	"725"/\$.ccls. and (input with (multiple two) adj4 times) and ((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 09:56
S82	565	725/46.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 11:15
S86	127	S85 not S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 11:36
S84	315	725/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 11:36
S85	172	S84 and ((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 11:37
S89	30	S88 and ((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 11:40
S90	288	725/14.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 11:43
S91	179	S90 not (S84 S82 S87)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 11:44
S88	70	S87 not (S84 S82)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 11:44

## EAST Search History

S87	111	725/13.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 11:54
S94	65	725/72.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 12:17
S92	293	725/68.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 12:17
S93	36	S92 and (time adj zone zip adj code geograp\$5 adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 12:18
S96	20	S94 and (time adj zone zip adj code postal adj code gps coordinates geograp\$5 adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 12:33
S97	108	725/63-72.ccls. and (time adj zone zip adj code postal adj code gps geograp\$5 adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 12:47
S98	93	725/63-72.ccls. and ((input\$4) with time adj zone zip adj code postal adj code gps geograp\$5 adj location)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 12:48
S99	11	725/63-72.ccls. and ((input\$4) with (time adj zone zip adj code postal adj code gps geograp\$5 adj location))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 12:53
S100	2149	"725"/\$.ccls. and (neural heuristics rules (multiple with inputs with settings) train\$5)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 12:54

## EAST Search History

S101	518	"725"/\$.ccls. and ((neural heuristics rules (multiple with inputs with settings) train\$5) same (channel epq))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 12:55
S102	37	"725"/\$.ccls. and ((neural heuristics rules (multiple with inputs with settings) train\$5) same (channel epq) same setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 13:19
S104	844	"348"/\$.ccls. and ((neural heuristics (multiple with inputs with settings) train\$5) same (channel epq))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 13:23
S103	50	"348"/\$.ccls. and ((neural heuristics rules (multiple with inputs with settings) train\$5) same (channel epq) same setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 13:23
S105	264	"348"/\$.ccls. and ((neural heuristics (multiple with inputs with settings) train\$5) same (channel epq) same (establish44 set settings tailor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 13:25
S107	159	S104 and ((television tv) adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 13:30
S106	96	"348"/\$.ccls. and ((neural heuristics (multiple with inputs with settings) train\$5) same (channel epq) same (establish\$4 settings tailor\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 13:39
S108	1689	"348"/\$.ccls. and ((neural heuristics (multiple with inputs with settings) train\$5) and (channel epq) and (establish\$4 settings tailor\$4)) and (location time date zip adj code area adj code postal adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 13:44
S110	386	"348"/\$.ccls. and ((neural heuristics (multiple with inputs with settings) train\$5) same (establish\$4 settings tailor\$4)) same (location time date zip adj code area adj code postal adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 13:46

## EAST Search History

S112	829	"348"/731.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 14:04
S111	101	"348"/\$.ccls. and ((neural heuristics (multiple with inputs with settings) train\$5) same (establish\$4 settings tailor\$4)) same (location date zip adj code area adj code postal adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 14:04
S113	20	S112 and (geograph\$5 adj location zip adj code)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 14:05
S114	49825	(repeat\$3 with (entry code setting password))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 14:06
S115	328	"725"/\$.ccls. and (repeat\$3 with (entry code setting password))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 14:07
S116	159	"725"/\$.ccls. and (repeat\$3 near5 (entry code setting password))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 14:15
S118	1629	(repeat\$3 adj3 (entry password passcode)) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 14:16
S117	2305	(repeat\$3 adj5 (entry password passcode)) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 14:16
S119	217	(repeat\$3 adj3 (password passcode)) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 14:18

## EAST Search History

S120	21	(repeat\$3 adj3 (password passcode) with (authentication verification verify authenticate)) and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:07
S121	1	bedard.in. and brown.xa.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:08
S123	32	S122 and "725"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:09
S122	215	candelore.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:09
S83	298	S82 and (((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:13
S125	4	"6334217".pn. "6983478".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:17
S124	195	S83 and (favorite adj channel sports)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:18
S126	40	S83 and (favorite adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:21
S127	21	725/9-14.ccls. and (monitor\$4) and (favorite adj channel)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:31

## EAST Search History

S128	0	725/9-14,46.ccls. and (monitor\$4 with view\$4 adj habbit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:32
S130	4	S129 and (establish\$5 near5 setting)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 15:37
S131	51	S129 and setting	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 16:03
S129	132	725/9-14,46.ccls. and ((monitor\$4 behavi\$4) with profile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 16:05
S132	223	725/9-14,46.ccls. and (((monitor\$4 behavi\$4) with profile) or (viewing adj history))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 16:08
S133	91	S132 not S129	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/17 16:14
S134	6	((("6266814") or ("20020083452") or ("5801747"))).PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	OFF	2006/03/17 16:15
L9	1215	"725"/\$.ccls. and (viewing adj2 (behavior history habits) monitor near5 user) and ((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/20 08:21
L10	170	"725"/46.ccls. and (viewing adj2 (behavior history habits) monitor near5 user) and ((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/20 08:28

## EAST Search History

L11	179	"725"/46.ccls. and (view\$3 adj2 (behavior history habits) monitor near5 user) and ((@ad<="20011029") or (@rlad<="20011029"))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT ; IBM_TDB	OR	ON	2006/03/20 08:29
-----	-----	---	--	----	----	------------------